0.E.P.A **S.E.D.**0

2012 AUG - 7 AMAL: 59

SOLID WASTE TRANSFER FACILITY PERMIT TO INSTALL APPLICATION

WTL TRANSFER STATION ANDVIEW TOWNSHIP, WASHINGTON COUNTY, OHIO

Prepared for:

WEAVERTOWN TRANSPORT LEASING, INC. CARNIEGIE, PENNSYLVANIA

CEC Project 112-048

August 2012

Civil & Environmental Consultants, Inc.

ite 100 0 : 614/540-6638)8 Austin Boston Charlotte Chicago Cincinnati

855/365-2324 866/312-2024 855/859-9932 877/963-6026 800/759-5614 Cleveland Detroit Export Indianapolis Nashville

nd 866/507-2324 866/380-2324 800/899-3610 polis 877/746-0749 e 800/763-2326

North Central PA Phoenix Pittsburgh St. Louis

877/321-2324 877/231-2324 800/365/2324 866/250-3679 888/598-6808 August 6, 2012

2012 AUG - 7 AM 11: 59

Mr. Rich Fox Division of Materials and Waste Management Ohio Environmental Protection Agency Southeast District Office 2195 Front Street Logan, OH 43138

Re:

Solid Waste Transfer Station Permit to Install Application

WTL Transfer Station

Weavertown Transport Leasing, Inc.

Grandview Township, Washington County, Ohio

CEC Project 112-048

Dear Mr. Fox:

On behalf of Weavertown Transport Leasing, Inc. (WTL), Civil & Environmental Consultants, Inc. (CEC) is pleased to submit four copies of the enclosed Solid Waste Transfer Station Permit to Install (PTI) Application for the WTL Transfer Station located in Grandview Township, Washington County, Ohio. The WTL Transfer Station will be a new facility providing solid waste transfer of non-hazardous solid waste, sludges and liquid wastes. One additional copy of the PTI Application is also being provided to the Washington County Health Department.

An applicant's public meeting to describe the WTL Transfer Station will be held at the New Matamoras Elementary School on September 6, 2012 at 6:00 pm in the school cafeteria. The legal notice advertising the meeting was published in the Marietta Times on Friday, August 3, 2012. The meeting date and time were coordinated with Ms. Amber Finkelstein of the Ohio Environmental Protection Agency Public Interest Center.

Please contact me at (614) 545-1260 or by email at <a href="mailto:restanted-emailto

Sincerely,

CIVIL & ENVIRONMENTAL CONSULTANTS, INC.

Roy A. Stanley

16,

Project Manager

Duane R. Lanoue, P.E.

Principal

Enclosures

Cc: Ms. Kathleen Mecksworth - Washington County Health Department

Mr. Daryl Heiser – WTL Mr. Eric Meduho - WTL

Civil & Environmental Consultants, Inc

			CIVII & I	Environn	nentai Co	nsultants. In	nc.
Columous	8740 Orion Place Suite 100 Columbus, Ohio 43240 Ph: 614/540-6633 / Fx: 614/540-6638 Toll Free: 888/598-6808 columbus@cecinc.com www.cecinc.com	Austin Boston Charlotte Chicago Cincinnati	855/365-2324 866/312-2024 855/859-9932 877/963-6026 800/759-5614	Cleveland Detroit Export Indianapolis Nashville	866/507-2324 866/380-2324 800/899-3610 877/746-0749 800/763-2326	North Central PA Phoenix Pittsburgh St. Louis Toledo	877/321-2324 877/231-2324 800/365/2324 866/250-3679 888/593-6808

Interoffice Memo



To: Rick Fair, Special Agent, EBIU, AGO

CC: Scott Hester, CO-DMWM; Mark Mansfield, SEDO, DMWM

From: Brian Dearth, Processing & Records Management Unit, DMWM

Date: August 15, 2012

Re: Receipt of Permit to Install Application

Please be advised that Ohio EPA received the following Permit to Install (PTI) application on August 7, 2012:

Weavertown Transport Leasing, Inc. 50810 State Route 7 New Matamoras, Ohio 45767

Application No. 06-08449

The PTI application is for a new Solid Waste Transfer Station.

The PTI application is available for review at:

Ohio EPA Southeast District Office 2195 Front Street Logan, Ohio 43138 Point of contact: Mark Mansfield Telephone: (740) 380-5428

Some Permit to Install applications may not have the Appendix F attachment or the Site Location Map attachment. Ohio EPA District Office staff determined that in some instances, the Permit to Install application will not require these attachments. Please contact the District Office if you have any questions concerning the Permit to Install application, or have any information relevant to the Ohio EPA's processing of the application. The application will remain at the district offices until the review process is complete.

Attachments: PTI application description form.

cc: Scott Hester, DMWM, CO Mark Mansfield, DMWM, SEDO



Environmental Protection Agency

John R. Kasich, Governor Mary Taylor, Lt. Governor Scott J. Nally, Director

August 15, 2012

Mr. Dick Bartz, Chief ODNR - Division of Water 2045 Morse Rd., Building B-2 Columbus, Ohio 43229

Dear Mr. Bartz:

In accordance with our procedure to notify the Ohio Department of Natural Resources of applications received by Ohio EPA for proposed new/expanded landfills and/or infectious waste incinerators, the following Permit to Install (PTI) application has been received by the Ohio EPA on August 7, 2012.

Weavertown Transport Leasing, Inc. 50810 State Route 7 New Matamoras, Ohio 45767

Application No. 06-08449

The PTI application is for a new Solid Waste Transfer Station.

The PTI application is available for review at:

Ohio EPA Southeast District Office 2195 Front Street Logan, Ohio 43138 Point of contact: Mark Mansfield Telephone: (740) 380-5428

Some Permit to Install applications may not have the Appendix F attachment or the Site Location Map attachment. Ohio EPA District Office staff determined that in some instances, the Permit to install application will not require these attachments. Please contact the District Office if you have any questions concerning the Permit to Install application, or have any information relevant to the Ohio EPA's processing of the application. The application will remain at the district office until the review process is complete.

Sincerely,

Georgia Frakes

Processing & Records Management Unit Division of Materials & Waste Management

Attachments: PTI Application description form.

cc: Scott Hester, DMWM, CO Mark Mansfield, DMWM, SEDO

> 50 West Town Street, Suite 700 P.O. Box 1049 Columbus, OH 43216-1049

614 | 644 3020 614 | 644 3184 (fax) www.epa.ohio.gov



Environmental Protection Agency

John R. Kasich, Governor Mary Taylor, Lt. Governor Scott J. Nally, Director

August 15, 2012

Federal Aviation Administration Detroit Airport's District Office - Attn: Manager 11677 S. Wayne Road Suite 107 Romulus, MI 48174-1412

Dear Sir/Madam:

In accordance with our procedure to notify the Federal Aviation Administration of applications received by Ohio EPA for proposed new/expanded landfills and/or infectious waste incinerators, the following Permit to Install application has been received by Ohio EPA on August 7, 2012:

Weavertown Transport Leasing, Inc. 50810 State Route 7
New Matamoras, Ohio 45767

Application No. 06-08449

The PTI application is for a new Solid Waste Transfer Station.

The PTI application is available for review at:

Ohio EPA Southeast District Office 2195 Front Street Logan, Ohio 43138 Point of contact: Mark Mansfield Telephone: (740) 380-5428

Some Permit to Install applications may not have the Appendix F attachment or the Site Location Map attachment. Ohio EPA District Office staff determined that in some instances, the Permit to install application will not require these attachments. Please contact the District Office if you have any questions concerning the Permit to Install application, or have any information relevant to the Ohio EPA's processing of the application. The application will remain at the district office until the review process is complete.

Sincerely,

Georgia Arakes

Processing & Records Management Unit Division of Materials & Waste Management

Attachments: PTI Application description form.

cc: Scott Hester, DMWM, CO

Mark Mansfield, DMWM, SEDO

50 West Town Street, Suite 700 P.O. Box 1049 Columbus, OH 43216-1049

614 | 644 3020 614 | 644 3184 (fax) www.epa.ohlo.gov



PUBLIC NOTICE RECORD

Notification Type: SOLID WASTE TRANSFER LICENSE ACTION

Entity Info
Name: Weavertown Transport Leasing, Inc.
Address: 50810 State Route 7

City/Township/Zip: New Matamoras, OH 45767 County: Washington
Description: Solid Waste

Notification Number: 313310

Receiving Waters:

Meeting Details:

Standard Remark:

Other Remark:

Notice is hereby given that on August 7, 2012, Ohio EPA received a Permit to Install (PTI) from the Weavertown Transport Leasing, Inc. for a new facility. The new facility location is 50810 State Route 7, New Matamoras, Ohio 45767 in Washington County. The PTI application number is 60-08449. The application may be reviewed in accordance with Ohio EPA's file review procedures by writing to Ohio Southeast District Office, 2195 Front Street, Logan, OH 43138, tel: (740) 385-8501. Persons wishing to be on Ohio EPA's interested parties malling list for this project must submit a request in writing to Ohio EPA, Division of Materials and Waste Management, Attn: Processing and Records Management Unit, P.O. Elox 1049,

Record Created Date: 8/13/2012 10:20:56 Last Updated Date: 8/16/2012 09:37:08

Record Created By: GFRAKES

Printed on: 8/16/2012

August 7, 2012

Mr. F. Douglas Young Special Agent Supervisor Ohio Attorney General's Office 30 East Broad Street Columbus, OH 43215

Re:

Background Investigation Disclosure Information

Solid Waste Transfer Station Permit to Install Application

WTL Transfer Station

Weavertown Transport Leasing, Inc.

Grandview Township, Washington County, Ohio

CEC Project 112-048

Dear Mr. Young:

On behalf of Weavertown Transport Leasing, Inc. (WTL), Civil & Environmental Consultants, Inc. (CEC) is pleased to submit the enclosed background investigation disclosure information required by the Ohio Administrative Code (OAC) 109:6-1-02 through 109:6-1-05 for the Solid Waste Transfer Station Permit to Install (PTI) Application, WTL Transfer Station, located in Grandview Township, Washington County, Ohio. The WTL Transfer Station will be a new facility providing solid waste transfer of non-hazardous solid waste, sludges and liquid wastes. The PTI Application was submitted to the Ohio Environmental Protection Agency, Southeast District Office on August 6, 2012.

The following information is enclosed with this submittal:

- Applicant Disclosure Forms
- Fingerprint Cards
- Personal History Disclosure Forms
- Check for Applicant Processing Fee

Please contact me at (614) 545-1260 or by email at <u>rstanley@cecinc.com</u> if you have any questions or if you require additional information.

Sincerely,

CIVIL & ENVIRONMENTAL CONSULTANTS, INC.

Roy A. Stanley

Project Manager

www.cecinc.com

Duane R. Lanoue, P.E.

Principal

Enclosures

cc:

Mr. Rich Fox - Ohio EPA SEDO w/out enclosures

Mr. Daryl Heiser - WTL w/enclosures

Civil & Environmental Consultants, Inc.

 \mathcal{O}

. بالنا

0.70 0.33

Columbus 8740 Orion Place | Suite 100 855/365-2324 North Central PA Austin Cleveland 866/507-2324 877/321-2324 Columbus, Ohio 43240 Boston 866/312-2024 Detroit 866/380-2324 Phoenix 877/231-2324 Ph: 614/540-6633 / Fx: 614/540-6638 Charlotte 855/859-9932 Export 800/899-3610 Pittsburgh 800/355/2324 Toll Free: 888/598-6808 Chicago 877/963-6026 Indianapolis 877/746-0749 St. Louis 866/250-3679 columbus@cecinc.com 800/759-5614 Cincinnati 800/763-2326 Nashville Toledo 888/5 28-6808



www.weavertown.com

0.E P.A S.E.D.O.

2012 AUG -2 PM 12: 06

July 30, 2012



CERTIFIED MAIL 7010-2780-0000-1526-2072 RETURN RECEIPT REQUESTED

Ohio EPA, Southeast District Office, Division of Air Pollution Control

Attn: Mr. Dean Ponchak, Manager

P.O. Box 1049

Columbus, OH 43216-1049

RE:

Notification of WTL Transfer Station

Solid Waste Transfer Facility Permit to Install Application

Weavertown Transport Leasing, Inc.

Grandview Township, Washington County, Ohio

Dear Mr. Ponchak:

In accordance with the Ohio Administrative Code (OAC) 3745-27-21 (C)(5)(a), Weavertown Transport Leasing, Inc. (WTL) is hereby notifying you that a Permit To Install (PTI) Application for the WTL Transfer Station will be filed during August 2012 with the Southeast Ohio District Office (SEDO) of the Ohio Environmental Protection Agency (Ohio EPA) located in Logan, Ohio. The WTL Transfer Station will be a new facility providing solid waste transfer for non-hazardous solid and liquid wastes. The attached figure provides the approximate location of the proposed WTL Transfer Station. WTL will hold a public meeting to discuss the PTI Application. The date, time, and location will be published in local newspapers at least 30 days prior to the meeting date.


Copies of the PTI Application for the WTL Transfer Station will be on file and may be reviewed at the Ohio EPA, SEDO in Logan, Ohio. If you have any questions, please contact me at 724-746-4850.

Very truly yours,

Daryl Heiser, Vice President.

Weavertown Transport Leasing, Inc.

Attachment



JSC APPROVED BY:

1"= 2000' PROJECT NO:

SITE LOCATION MAP

112-048

*RAS FIGURE NO.:

DRAWN BY:

DATE:

www.cecinc.com

JULY 2012 DWG SCALE:

JMK CHECKED BY:

The Marietta Times

www.mariettatimes.com

700 Channel Lane, Marietta, OH 45750 • (740) 373-2121 or 800-531-1215

FAX. TRANSMISSION

7403736251



Date:	8/6/12 10:35 a.m.
To:	Roy Stanley
Con	npany:Civil Environmental Consultants
Pho	ne:
Fax:	614-540-6638
	Lana Schneider
Depa	artment: Legal
Phor	ne: 740-376-5433
	740-373-6251
emai	: lschneider@mariettatimes.com
	(including cover sheet) 2
	Copy of legal ad that ran on
Friday, Au	gust 3, 2012 as requested.
Market Assessment of the Control of	
/	

Read by more than 30,000 people daily

The Marietta Times primary Designated Market is Washington County

Circulation/Subscriptions: 740- 376-5400

Retail Advertsing: **740-376-5432**

Classified Advertising: 740-376-5426

Legal Advertising: **740-376-5433**

New items: 740-376-5445

Information about our Web site: 304-488-6424

The Publisher: 740-376-5401

LEGAL NOTICE
FOR 30LID WASTE
TRANSFER STATIN
PERMIT TO INSTALL
APPLICATION
Weavertown Transport
Leasing, inc. (WTL) will
hold a public meeting to
inform local residents and
interested parties of a
Solid Waste Transfer Station Permit to Install (PTI)
Application to be submitted to the Ohio Environmental Protection Agency
(Ohio EPA), Southeast
District Office (SEDO) for
a new transfer station facility to be located at
50910 State Route 7, New
Matamorae, Ohio 45767.
The WTL Transfer Station
will be a new facility providing solidification and
transfer to solid and liquid
wastea. The public information meeting will be
held at the New Matarmorae Elementary
School cafeteria located
at 1000 Stover Drive, New
Matamoras, Ohio 45767
on Thursday, September
6, 2012 at 8:00 p.m.
Aug. 3, 2012-1T-Fri.

Page 2

U.E.P.A. S.E.D.O.

2012 AUG -7 AM 11: 59

SOLID WASTE TRANSFER FACILITY PERMIT TO INSTALL APPLICATION

WTL TRANSFER STATION GRANDVIEW TOWNSHIP, WASHINGTON COUNTY, OHIO

Prepared for:

WEAVERTOWN TRANSPORT LEASING, INC. CARNIEGIE, PENNSYLVANIA

CEC Project 112-048

August 2012

Civil & Environmental Consultants, Inc.

PROFESSIONAL ENGINEER'S CERTIFICATION

Permit to Install Application WTL Transfer Station Weavertown Transport Leasing, Inc.

I, Duane R. Lanoue, being a Registered Professional Engineer in accordance with the Ohio Professional Engineer's Registration law, do hereby certify to the best of my knowledge, the detailed engineering plans, specifications, and information contained in the Permit to Install Application are true and accurate.

In accordance with OAC 3745-27-99 (B)(1)(a)(ii), the following plan drawings submitted as part of a permit to install application pursuant to OAC 3745-27-21(B)(3) require certification by a licensed professional engineer.

SIGNATURE

DATE: 8/6/12

Address:

Civil & Environmental Consultants, Inc.

333 Baldwin Road

Pittsburgh, Pennsylvania 15205

Telephone:

(412) 429-2324



Table of Contents

Ohio EPA Cover Sheet Ohio EPA Form A2 Ohio EPA Form B2

1.0	INT	FRODUCTION	. 1
	1.1	PTI CERTIFICATIONS	1
		1.1.1 Disclosure Statement	
	1.2	PTI NOTIFICATIONS	7
	1.3	PTI APPLICATION ORGANIZATION	3
2.0	FAC	CILITY DESCRIPTION	
	2.1	FACILITY LOCATION	ت ک
	2.2	SITE DESCRIPTION	······································
	2.3	ADJACENT PROPERTY USES	·············/ 7
	2.4	FACILITY LAYOUT	8
3.0	SITI	ING CRITERIA	
4.0		CILITY DESIGN	
	4.1	TRANSFER STATION BUILDING	12
	4.2	SOLIDIFICATION BASIN	12
	4.3	TRUCK UNLOAD FLOOR	13
	4.4	TRANSFER TRAILER LOADING RAMP	14
	4.5	UNLOAD/LOADING DOCK	14
	4.6	DRUM STORAGE AREA	14
	4.7	OILY WATER PROCESSING AREA	15
	4.8	LABORATORY AND OFFICE AREA	15
	4.9	BULK LIQUID STORAGE TANKS	15
	4.10	BULK LIQUID UNLOAD PAD	16
	4.11	LEACHATE MANAGEMENT SYSTEM	. 16
	4.12	EROSION CONTROL SYSTEM	19
	4.13	FACILITY ACCESS, ROADS AND STAGING AREAS	20
5.0	FACI	ILITY OPERATION	21
	5.1	ADDITIONAL PERMITS AND AUTHORIZATIONS	·····21
		5.1.1 Sanitary Sewer and Water Services	21

		5.1.2 Floodplain Development Permit Application	22
		5.1.3 Oil Recovery Process Permitting	22
		5.1.4 Bulk Liquid Storage Tanks Permitting	22
	5.2	FACILITY CONSTRUCTION	23
	5.3	ACCEPTABLE WASTE MATERIALS	23
	5.4	WASTE ACCEPTANCE PROCEDURE	24
		5.4.1 Waste Profiles	25
		5.4.2 Hauler Registration and Required Documents	25
		5.4.2.1 Waste Quantity Determination	25
		5.4.3 Incoming Waste Segregation	26
	5.5	WASTE BULKING, SOLIDIFICATION AND OUT-BOUND	26
		TRANSFER OPERATIONS	27
		5.5.1 Shipment Verification and Compatibility Evaluation Process	27
		5.5.1.1 Description of In-House Testing	20
		5.5.2 Outbound Transfer Waste Profiles	29
	5.6	OILY WATER PROCESSING	33
	5.7	FACILITY ACCESS	3/1
	5.8	LEACHATE MANAGEMENT SYSTEM MAINTENANCE	35
	5.9	EROSION CONTROL SYSTEM MAINTENANCE	35
	5.10	CONTINGENCY PLANS	36
	٠	5.10.1 Discovery of Unauthorized Wastes	36
		5.10.2 Fire, Explosion, and Spills	36
		5.10.3 Equipment Failure	37
		5.10.4 Unavailability of the Transfer Station	37
	5.11	RECORD KEEPING	37
		5.11.1 Daily Logs	38
		5.11.2 Annual Operational Report	38
6.0	FACI		
0.0	6.1	CLOSURE NOTIFICATIONS	40
	0.1	CLOSURE NOTIFICATIONS	40
	6.2	6.1.1 Final Closure Contact	41
	6.3	CLOSURE ACTIVITIES	41
	6.4	RIGHT OF ENTRY	42
	∪. - T	FINANCIAL ASSURANCE	42

DRAWINGS (24" X 36")

Sheet 1	DWG NO.	1A	Title Sheet
Sheet 2	DWG NO.	2A	Site Environs
Sheet 3	DWG NO.	3A	Site Layout
Sheet 4	DWG NO.	3B	Transfer Station Building Plan
Sheet 5	DWG NO.	3C	Transfer Station Building Section Views
Sheet 6	DWG NO.	3D	Waste Handling Areas Plan and Details
Sheet 7	DWG NO.	3E	Leachate Management System Plan and Details
Sheet 8	DWG NO.	3F	Erosion Control Plan
Sheet 9	DWG NO.	3G	Erosion Control Notes and Details
Sheet 10	DWG NO.	3H	Erosion Control Notes and Details

TABLES

Table 1 Acceptable Non-Hazardous Waste Streams

APPENDICES

Appendix A	Exemption Request				
Appendix B	Letters of Intent & Acknowledgements				
Appendix C	Property Ownership				
Appendix D	Letter of Map Amendment & Floodplain Development Permit Application				
Appendix E	Ohio River Offset Correspondence				
Appendix F	Waste Profile Form				
Appendix G	Financial Assurance Instrument				



Ohio Environmental Protection Agency Lazarus Government Center P.O. Box 1049 Columbus, Ohio 43216-1049

GENERAL COVER SHEET

For EPA Use Only

Application or ID Number 66 8449 Core Place ID Date Received 8 7 - 12 Check No 634017 Check ID No 602828 Check Date 72612 Amount 4000	□ DAPC □ DDAGW □ DHWM □ DSW → DSIWM □ RTK □ DEFA □ TRI
	Route to:

1. Facility Info	rmation
-	
Legal Name	Weavertown Transport Leasing, Inc.
Alternate Name	WTL Transfer Station
Street Address	50810 State Route 7
City/State/Zip	New Matamoras, Ohio 45767
Location	
_	
_	
County/Township _	Washington County, Grandview Township
Lat./Long./Point Des	cription Lat. 39° 30' 46.91"N Long. 81° 11' 16.52"W
	Center of Site

Facility Type: (shaded areas indicate the attachment is under development)

'	Facility Type	Required Attachments	
	Municipal Solid Waste Landfill	Al	Bla
	Industrial Solid Waste Landfill	A1	Blb
	Residual Solid Waste Landfill	Al	Blc
Χ	Solid Waste Transfer Facility	A2	B2
	Scrap Tire Monofill	A3a	B3a
	Scrap Tire Monocell - Contiguous to MSW Landfill	A3b	Bla
	Scrap Tire Monocell - Contiguous to ISW Landfill	A3b	Blb
	Scrap Tire Monocell - Non-Contiguous to Landfill	A3b	B3a
	Scrap Tire Submergence Facility	A3a	B3b

 Class I Scrap Tire Storage Facility	A4	B4
 Class I Scrap Tire Recovery Facility	A4	B4
 Solid Waste Incinerator or Energy Recovery		
 Class I Solid Waste Composting Facility		
Infectious Waste Treatment Facility		

2. Applicant In	formation
Applicant Name Mailing Address	Weavertown Transport Leasing, Inc. 2 Dorrington Road
City/State/Zip Phone Number Email Address Billing Address	Carnegie, Pennsylvania 15106 800-746-4850 dheiser@weavertown.com 2 Dorrington Road
City/State/Zip	Carnegie, Pennsylvania 15106
3. Operator Inf	formation (if different from applicant)
Operator Name Mailing Address	Same as applicant info - Section 2
City/State/Zip Phone Number	

4. Land Owner Information (if different from applicant) Land Owner Name Same as applicant info - Section 2 Mailing Address City/State/Zip Phone Number 5. Preparer Information (if different from applicant) Preparer Name Duane Lanoue Company Civil & Environmental Consultants, Inc. Mailing Address 3333 Baldwin Road City/State/Zip Pittsburgh, PA 15205-1751 Phone Number 412-429-2324 Email Address dlanoue@cecinc.com

duplicate page as necessary to add multiple land owners or preparers

Section I - General Permit to Install (PTI) Application Information

Authorized Signature ¹ : Under OAC rule 3745-27-02, this signature shall const	itute personal affirmation that all
or describing of fact made in the application are true and complete of	comply fully with annticable state
requirements, and shall subject the signatory to liability under those state laws to statements.	forbidding false or misleading
$\frac{1}{2}$	
() aruse Jase	8-1-12
Authorized Signature	Date
Vice Tresident	
Title	
GENERAL ACKNOWLEDGMENT FORM	M
∂	
STATE OF ENUSYLVANIA)	
) ss.	
STATE OF KENUSYLVANIA)) ss. COUNTY OF ALLEGHEN Y	
J. Loo y	
On this the 1 1 0 M	
On this the/ day of	RY A. VULCANO,
to me on the basis of satisfactory evidence to be the passon(s) in basis of satisfactory evidence to be the passon (s) in basis of satisfactory evidence to be the passon (s) in basis of satisfactory evidence to be the passon (s) in basis of satisfactory evidence to be the passon (s) in basis of satisfactory evidence to be the passon (s) in basis of satisfactory evidence to be the passon (s) in basis of satisfactory evidence to be the passon (s) in basis of satisfactory evidence to be the passon (s) in basis of satisfactory evidence to be the passon (s) in basis of satisfactory evidence to be the passon (s) in basis of satisfactory evidence to be the passon (s) in basis of satisfactory evidence to be the passon (s) in basis of satisfactory evidence to be the passon (s) in basis of satisfactory evidence to be the passon (s) in basis of satisfactory evidence to be the passon (s) in basis of satisfactory evidence to be the passon (s) in basis of satisfacto	, proved
instrument, and acknowledge that he/she/they executed it.	as/were subscribed to the within
WITNESS my hand and official seal.	
Fasemary abulca	a/a
COMMONWEALTH OF PENNSYLVANIA	<u> </u>
Notarial Seal	
Rosemary A. Vulcano, Notary Public Peters Twp., Washington County	
sa, Commission Fynires June 30, 2013	
MEMBER, PENNSYLVANIA ASSOCIATION OF NOTARIES	

Under OAC 3745-27-02, the application for a permit to install shall be signed by either the owner or operator of the facility and shall be:

- (a) in the case of a corporation, by a principal executive officer of at least the level of vice president, or his duly authorized representative, if such representative is responsible for the overall operation of the facility.
- (b) in the case of a partnership, by a general partner.
- (c) in the case of a limited liability company by a manager, member, or other duly authorized representative of the limited liability company, if such representative is responsible for the overall operation of the facility.
- (d) in the case of sole proprietorship, by the owner.
- (e) in the case of a municipal, state, federal or other governmental facility, by the principal executive officer, the ranking elected official, or other duly authorized employee.

¹ Permit to install applications for municipal solid waste landfills, industrial solid waste landfills, residual waste landfills, and scrap tire monofills are not required to include the authorized signature until Ohio EPA requests it.



OHIO EPA FORM A2

☐ Initial



DIVISION OF SOLID AND INFECTIOUS WASTE MANAGEMENT

Transfer Facility

The information requested by this attachment is not required by rule; however it is useful to permit reviewers and the general public.

Multimedia Information, check	all that apply:		The second of the second plants.
Division of Surface Water			
Current NPDES Permit			
Permit Number	None		
Date Issued			
Leachate discharge to public sewer	Current	Proposed X	Oil Recovery Process
On-Site Leachate Treatment	Current	Proposed	_
On-site Sanitary Treatment	Current	Proposed	
Waste Solidification	Current	Proposed X	
Holding Tank	Current	Proposed X	Oil Recovery Process
Stream Relocation	No X	Yes	
Spillway Relocation	No X	Yes	
New Outfall	No	Yes X	Erosion Control Detention Basi
Headwater Removal	No X	Yes	
401 Certification	Note Assessment and		
Required	No X	Yes	
Submitted	No	Yes	Date
Issued	No	Yes	Date
404 Permit	1,	<u></u>	
Required	No X	Yes	
Submitted	No	Yes	Date
Issued	No	Yes	Date
Isolated Wetland Permit		1	
Required	No X	Yes	
Submitted	No	Yes	Date
Issued	No	Yes	Date

☐ Revised____

date

Division of Air Pollution Control

□ Initial

Permit Number	None		
Date Issued			
New/Revised DAPC permit applic	ation		
Required	No	Yes X Dust	Control
Submitted	No	X Yes Date	00110101
Issued	No	X Yes Date	
Flare	Curren		
Dust Suppressant Used			
,		And the state of t	
Other Permits			
Permit		Local, State, or Federal Office	Date Applied for
Other Licenses			-
License			
LICENSE	The second secon	Local, State, or Federal Office	Date Applied for
Other Plan Approvals			
Plan		Local, State, or Federal Office	Date Applied for
Other Authorizations			
Authorization		Local, State, or Federal Office	Dan Audin I C
Letter of Map Amer		OMA) FEMA	Date Applied for
	Zamerre (III	PRIA PENA	1/17/2012

□ Revised date

Additional Information					
1. Please indicate the reason	for this application (check all that apply).				
X New Facility Call-In, ORC 3734	Expansion or substantial deviation of waste handling area 4.05(A)(5)				
Location:	d date and the location of the applicants meeting required by Ohio Revised Code 3734.05. New Matamoras Elementary School cafeteria 1000 Stover Drive, New Matamoras, Ohio 45767				
Anticipated Date:	September 6, 2012				
Appl	icant's Meeting: Requirements and Ohio EPA Recommendations				
The applicant is required to hol 3734.05(A)(2)(d) for public me	d a public meeting no later than 35 days after submitting certain applications. See ORC eting requirements.				
At least 30 days before the public meeting, the applicant must publish notice of the meeting in all newspapers of general circulation published in the county. For information on newspapers of general circulation, contact Ohio EPA's Public Interest Center at (614) 644-2160. The Agency recommends that the applicant contact each newspaper to ensure the legal notice is published in all newspapers					
in time to comply with the requ	ired deadlines.				
No later than 5 days after the no by certified mail to the director	of Ohio EPA.				
The notice must also be sent by certified mail to the legislative authority and the chief executive officer of each municipal corporation, and the legislative authority of each township and each county in which the facility is or is proposed to be located.					
No later than 30 days after the p meeting transcript; copies of any written comments submitted at t	oublic meeting, the applicant must provide the director of Ohio EPA with a copy of the full vexhibits, displays or other materials presented at the meeting; and the original copy of any he meeting.				
* outline of the proposal in the response by the applicant to c	lude: lication process by an Ohio EPA employee, permit application by the applicant, comments and questions raised during the meeting, submit written or oral comments regarding the application.				
* arrange for any necessary auc * provide DSIWM's fact sheet * prepare and provide fact shee * provide registration sheets for	regarding the permit to install process, ts about the facility, r a record of attendance and mailing list.				
	sitory in a library near the facility.				
Applicants are responsible for all costs of their public meeting except for Ohio EPA personnel costs.					

☐ Initial

3		Attachment Az	4
	Please state which agency is t	the licensing authority (Ohio EPA or local health department, if approved).	
	Licensing Authority:	Washington County Health Department	
4.	Please state the distance for	from the waste handling area to the nearest domicile that is not owned by the applicant.	
	255 Distance	Owner of domicile: Marylen & Vera Eisenbarth	
5.	Please list all variances an	nd exemptions, pursuant to OAC 3745-27-03, requested in the permit application:	
	Variance/Exemption:	Exemption to Allow Acceptance of Industrial	<u>W</u> ast
	Variance/Exemption:		
	Variance/Exemption:		
	Variance/Exemption:		
6.	Please list all alternatives,	where allowed by rule, requested in the permit application:	_
	Alternative:		
	Alternative:		-
	Alternative:		-
	Alternative:		-
7.	Please state the acreage of to	he property where the facility will be located, and how much of this property is owned, leased, leased, by the applicant.	
	5.66 acres _{Total F}	acility Area (acres)	
	10.47 acresotal A	Arca Owned (acres)	
	N/A Total A	area Leased (acres)	
	N/A Total O	Other (acres) Explain:	
	10.47 acresotal A	Arca Owned (acres)	

☐ Revised____

Sec	ection III - Additional Information Attac	hment A2
8.	Please state the size of the waste handling area, if applicable, what was previously approved and what is proposed this application.	osed as part
	9477 Total Waste Handling Area (square feet)	
	N/A Area Previously Approved (square feet)	
	N/A New Area Added (or Subtracted) by this Permit (square feet)	
9.	Places state the control of the	
7.	Please state the expected daily waste receipt.	
	UndeterminAet@ipated Daily Waste Receipt (cubic yards)	
	N/A Current Daily Waste Receipt (cubic yards), if any	
10.	Please state the type(s) of waste to be received by the facility.	
	Please see the attached Table 1.	

Closure Cost Estimate.

\$17,000 Total Closure Cost Estimate *See Table D-1 in Appendix D of PTI Application

CY =	Cubic Yards GAL = Gallons LS = Lump Sur	n		
	Item Description	Quantity	Unit Cost	Item Cost
a	Removal and Disposal of Waste (CY)	40	\$45	\$ 1,800
ь	Removal and Disposal of Leachate (GAL)	8,000	\$0.15	\$ 1,200
С	Other Closure Activities (LS) EB washing, posting signs, vector control, closure certification report			\$ 14,000
d			\$	\$
Total				\$17,000



OHIO EPA FORM B2

ATTACHMENT B2 (TRANSFER FACILITY)

INFORMATION TO BE SHOWN ON PLANS AND/OR SUBMITTED WITH PLANS

OAC 3745-27-21 PARAGRAPH	CONTENT	Plan Drawing No	Section No.
DETAIL ENGINE	ERING PLAN COVER SHEET		
(B)(1)(a)	Name of the transfer facility	1A	Cover Sheet
(B)(1)(b)	Precise geographic location, boundaries, etc.	2A	2.1
(B)(1)(e)	Name and address of the applicant	1A	Cover Sheet
(B)(1)(d)	Name and address of the owner and of the operator	1A	Cover Sheet
(B)(1)(e)	Name and address of the person who prepared the plans	1A	Cover Sheet
PLAN DRAWINGS			
(B)(2)(b)	Summary of site environs	2A	2.0
(B)(2)(c)	Existing domiciles	2A	3.0
(B)(2)(d)	Limits of the regulatory floodplain	2A	3.0
(B)(2)(e)	National park or recreation area, etc.	2A	3.0
(B)(2)(1)	State nature preserves, etc.	2A	3.0
(B)(2)(g)	Owners and lessees	2A	2.0
(B)(3)	Location of waste handling areas and leachate management system	3B, 3D	4.0
(C)(1)	Description of how the waste handling area floor will meet criteria in OAC 3745-27-22	3B, 3D	4.0
(C)(2)	Any requests for variances and exemptions.	N/A	Appendix A
(C)(3)	Contingency plan	N/A	5.10
(C)(4)	Financial assurance information	N/A	6.4, Appendi
C)(5)(a)(i)	Letter of intent to the government	N/A	Appendix B
C)(5)(a)(ii)	Letter of intent to the solid waste management district		Appendix B
C)(5)(a)(iii)	Letter of intent to the owner or lessee	N/A	N/A
C)(5)(a)(iv)	Letter of intent to the local zoning authority	N/A	Appendix B
C)(5)(a)(v)	Letter of intent to the park system administrator		Appendix B
C)(5)(a)(vi)	Letter of intent to the conservancy district		Appendix B
C)(5)(a)(vii)	Letter of intent to the local fire department		Appendix B
?)(5)(a)(viii)	Letter requesting information sent to DAPC and DSW		Appendix B
`)(5)(b)	Letters of acknowledgement from the property owner	N/A	Appendix B
nitial	Letters of acknowledgement from the property owner	N/A □ Revised	

	<i>(</i> 1
	Secretaria de la constitución de
	6
	Address.
. 8	
	* L.